
Selo.

Concealed Frame Doorsets Riser Doors & AOVs

Quadra+* The No.1 Riser Door System





ORECTION









Product features brochure

Simplifying bespoke and complex building methods

Quadra

www.selo.global

Quadra+

The No.1 Riser Door System

What are Selo Riser Door Systems?	04
Introduction	
Quadra+ Metal Riser Doors	06
Quadra+ Gallery	08
System	
Doorset Configurations	10
Frame Types	11
Locking Options	12

NEW Integrated Features	13	
Finishing & Decoration	14	
Packaging & Protection	15	
Certifications	16	
PATENTED Quench® Fire Stopping Protection	17	
Temporany Door Leaves	18	

Temporary Door Leaves

Specify

Ordering Checklist	20
Quadra+ Specifications	22

What are **Selo Riser Door** systems?

Doorsets designed to conceal unsightly riser doors and service cupboards.

Quadra+ features and benefits

Fully pre-hung doorset with all ironmongery fitted which allows for a swift and simple installation using the fitting guides provided.

Door leafs are hung on a unique pivot system, providing a very simple operation for door hanging or removal.

No plastic bung required! A flush escutcheon and concealed lock are pre-fitted to provide superior aesthetics.

A metal doorset provides an economical solution with high fire resistance while maintaining the sleek finish you require.



Quadra+ combines usability with discreet design to provide easy access and a smooth wall profile.

Ideal for concealing riser doors and service cupboards in corridors, landings and other access areas. Quadra+ is supplied as an integral, four-sided frame and door system, pre-constructed to form a single robust unit; made to your requirements so on-site work is minimal.

The door is hung on a unique pivot system specifically designed for the application. This robust hinge is fully concealed and makes the door leaf extremely simple to remove and re-hang if required.

The doorset is then fixed into the shaft/partition wall through the perforated flange and fixing holes in the

face of the frame. Once in place, Quadra+ offers excellent accessibility combined with solid durability. Once in place, Quadra+ can be plastered, or tape and jointed up to the integral stop-beads at the edges of the frame, creating a perfectly flush wall profile.

The system can then be painted with the same finish as the surrounding wall, creating a consistent, high-quality aesthetic finish that sets the project apart!


Smoke


seal

Ouadra+ **Safety features**











Quadra+ gallery

The ultimate riser door system for your project.











Quadra+ doorset configurations

The Quadra+ riser doorset can come in single, double or multi-leaf configurations with two frame types to suit your specific needs.

Frame types

The Quadra+ system is available in two different frame types:



Single door

The single doorset comes fully pre-hung for a quick and simple installation.



Double doors

The double doorset is provided with a pre-made frame and the door leafs separately for ease of transportation to and around site. The frame is pre-made and the door leafs are quickly and simply clicked into place.



Multi-doors

Available with up to 6 leafs in one run, fully fire rated and no supporting posts provide a large access area with no central posts. Like the double doorset, the frame is pre-made with the door leafs supplied separately.



FDKL Signage

'Fire Door Keep Locked' signage available for all Quadra+ configurations.



Ouadra+ **Concealed frame**

NEW Increased perforated flange size / More area for fixing into the partition / Suitable for all types of partition build up

Quadra+ **Visible frame**

Allowing you to fully conceal your frame providing an almost completely hidden doorset.



If you wish to install the doorset after the tape and jointing/plastering the visible frame option is surface mounted on top of the wall.

Quadra+ Locking options

The Quadra+ doorset is provided with a 3-point locking system operated via a concealed lock or square key.

Quadra+ Integrated features

Featuring unique, innovative design details to improve the system installation and the user experience.





Standard square key

The 3 point locking system is operated by a square key budget lock. The door is supplied with a stainless steel lock insert which does away with ugly plastic bungs and stops scratches around the hole from using the key.

Euro cylinder lock

For situations where you require higher security and the ability to lock the door with a euro cylinder can be used.



The ultimate finish! Conceal the lock completely with our new patented spring loaded concealed lock. Operated using a touch latch which hinges up to reveal the lock.

Euro cylinder

The euro cylinder used is a standard 55/10 euro cylinder barrel. A small cylinder is required if using a concealed 3-point lock; Selo can provide these as part of the Selo can provide these as part of the package if required.









Concealed quick release pivot hinge

The unique pivot system provides a very simple and quick solution while remaining fully concealed. The 'dog-leg' pivot pin guide makes installation a safer and more secure process. When installing the door, push the pivot pin all the way to the top of the slot. Once in position, the pin is effectively locked.

Fire rated up to E120.

An optional **Door Restrictor** is also available to prevent accidental overextension of the door leaf/potential damage.

Contraction of the second seco

Adjustable frame

The integrated adjustment system provides a fast and simple method of adjusting the frame in the studwork (up to 10mm per side), without the need for packers.

Scan the QR to watch a demonstration.








Finishing and decoration

As standard the Quadra+ doorset is powder coated to a RAL colour of your choice; ready to be installed, overpainted or wallpapered.



Powder coated - Dead Matt

The matt finish is provided in a standard RAL 9010 colour. Leave unpainted or emulsion paint with the rest of the wall to conceal the door. Alternatively, the door can be wallpapered* to match your surrounding decor. *Wallpaper fire rating suitability assessment required.

Packaging and protection

We take extra effort to ensure your products arrive safely. For extra protection, additional coverings can be provided.



Packaging for delivery

Stand States and an and street

On confined, busy sites doors need to be carried by hand a lot of the time. To keep the doorset protected, Quadra+ comes fully protected with cardboard corners and heat shrink wrapped in heavy duty polythene.



Protection on-site

We understand the demanding requirements of a construction site and the damage that can be done once the doorset is installed if not properly protected.

We can provide corrugated plastic protection sheets to be taped to the door faces, protecting them from scuffs and scratches.

EXTENSIVE TESTING & INNOVATIVE PRODUCT DESIGN FOR SAFER BUILDINGS

Quadra+ certifications

The Quadra+ doorset comes with smoke seals as standard and has been fully tested for fire resistance, thermal transmittance, acoustic performance and air permeability.

Fire resistance

Smoke

Smoke seals provided as standard

U-value

Transmittance of heat:

Single door - 1.6 W/m2-k

Double doors - 1.7 W/m2-k

Tested to BS EN 1634-3

Up to **two hours Bi-directionally fire tested to BS EN 1634-1**

fire tested



Smoke seal

Acoustic attenuation

*Single door only

Up to 35/36/39/47*/48*dB

Tested to BS EN ISO 10140-2

Air permeability

Up to **Class 3** when classified to BS EN 12207

Tested to BS EN 1026



Up to Class 3

Quench[®] Fire-stopping Protection

E120 fire-rated doorsets without additional on-site firestopping!

Our metal riser doorsets now have the option to arrive on-site with the fire stopping material already fixed into place.

Fail-proof installations

No need for intumescent mastic to be applied on site. Assurance for contractors and building control.

Safe & Reliable

Avoids working within the riser to apply intumescent, removing fall risk and hazardous working environments.

Workmanship

Removes the final element of labour dependent workmanship, a truly complete pre-assembled doorset.

Risk-free

In making the door set 100% pre-assembled it assists in mitigating risk from an installation perspective.

Effective time management

This system will save you installation time.

Simplicity

Only requires a cordless-drill driver, a level and screws to install the doorset.



35dB - 48dB



Quadra+ The No.1 Riser Door System | 17

Quadra+TDL

Removing the need fo temporary timber doors

Quadra+ Exclusive patent

Features a permanent frame with a temporary door leaf and threshold protection for complete peace-of-mind.

The process is simple...



#1 Install Ouadra+ **Permanent Frame**

#2 Hang Quadra+ **Temporary Door** Leaf with Threshold Protection





#4 **Remove & Recycle Temporary Door Leaf and** Protection



MADE IN UK Availahi NOW



Temporary Door Leaf

Quadra+ Permanent Frame

Designed to receive both the temporary and permanent door leaf; the permanent frame releases finishing trades earlier. Also available with the fire stopping material [Pre-Intumescent] attached to the frame, preventing the need for siteapplied intumescent mastic between the frame and shaft wall.

Ouadra+ Temporary Doors

The lightweight, unfinished metal door is quickly and simply installed into the permanent frame by utilising the Quadra+ quick-release pivot hinge. The door provides security and fire protection during the heavy construction phase.

What this means for you...



Reduced program

Consolidates and simplifies program, releasing trades earlier for a smoother project timeline.

Significant cost savings

No additional door protection saves on both temporary material and installation cost.







Lock & Handle

Three-point locking system linked to an option for euro-cylinder for added security with handle for ease of access



Threshold Protection

Protects the frame from the heavy traffic and equipment in and out of the riser during build phase.





Scan QR for Vic



Environmentally sustainable

Save on plastic based temporary protection. We can also collect and recycle the door for you when you're finished.*

*Please call 020 3880 0339 to arrange collection.



Zero snagging

Preserves the quality of the end product with no snagging/remedial works required.

Quadra+ ordering checklist


A quick checklist to assist you in the specification and ordering of your Quadra+ riser door system.



Need assistance?

Call 020 3880 0339 or email sales@selo-uk.com to discuss your project requirements or to arrange a visit from one of our experienced project leaders.

1 Metal door with mineral wool core	2 Door number or refe	erence		3 Door size	4 Lock typ	e	5
Metal door with mineral wool core	NO. Door number	Reference		WXH Width & Height	Standard 3-point loc		
6 Doorset finish	7 Fire rating			8 Signage	9 Seal	0 Acoustic atter	nuation
	N/A ((\mathbf{b}))	$\Im (($
Powder coated (Dead Matt - RAL 9010)	NFR	E120	Pre-intumesced frame	Leading- edge FDKL	Smoke sea	Up to 35dB	Up to 36dB
1 U-value	2 Air permeability		13 Handing (Single	e)	4 Handing	(Double)	15 Multi-door (No inter
1.6 1.7							
W/m2-k - Single W/m2-k - Double	Up to Class 3		Right hand	Left hand	Right-hand active	d Left-hand active	Triple



Quadra+ specifications

These specifications are available as a download from www.selo.global or contact the team for assistance with writing your specification 020 3880 0339.

Product Name	Quadra+					
Manufacturer	Selo call 020 3880 0339 email sales@selo-uk.com www.selo.global					
Door size	Custom. Minimum and maximum sizes apply - Contact the team to discuss.					
Configuration	 > 1 Door > 2 Door > 3 Door > 4 Door > 5 Door > 6 Door 					
Door construction	1.2mm sheet Steel with mineral wool core					
Frame type	 Concealed (as standard) Picture frame 					
Finishes	Powder coated - Dead Matt RAL 9010 (as standard)					
Lock	 > 3 point locking with square drive key (as standard) > Euro cylinder provision > Concealed (extra option to both above) > Captive key (extra option to both above) 					
Fire rating	E120 Bi-directionally fire tested					
Pre-intumesced	Please specify if required					
Smoke seal	Provided as standard					
Acoustic attenuation*	Not required / 35dB / 36dB / 39dB / 47dB* / 48dB*					
U-value	> Single door - 1.6 W/m2-k > Double doors - 1.7 W/m2-k					
Air permeability	Up to Class 3					
Fire signage	Leading edge FDKL self-adhesive sign					
Specification tools	 > NBS Specification > CAD drawings > Contact the sales team to request a full specification 					

*Acoustic attenuation performance up to the figures given in accordance with test conditions. *Single door only.





ing or storing it in any medium by electronic mean out the written permission of the copyright owne on should be addressed to Selo.

rographics process mean absolute colo terial can be provided on request.

Creating beautiful, contemporary interiors


call 020 3880 0339 email sales@selo-uk.com

For technical queries, please email technical@selo-uk.com



Scan QR to visit our website selo.global

EXCLUSIVE PRODUCT INNOVATIONS:





call 020 3880 0339 email sales@selo-uk.com www.selo.global Selo K2 Kents Hill Business Park Timbold Drive Milton Keynes MK7 6BZ



