Selo.

117

**Concealed Frame Doorsets** Riser Doors & Dampers

# **Rida** Value Riser Doorsets



# Simple Compliant ost Effective

Product features brochure


















# Rida Metal riser doorsets

The durable steel construction with an E30Sa fire rating offers a cost effective alternative to timber riser doorsets.



# Affordable concealed fire protection

The perfect replacement for short-lived timber doors that warp and bow. Rida metal doorsets are made of non-combustible materials; reducing the risk of uncompliant installations, achieving E30Sa fire resistance and improving building safety.



# **Typical applications**

The standard sizing of Rida makes it an affordable choice for high-volume applications that require strong, reliable and safe risers such as:

Residential Apartments / Student Accommodation / Educational Facilities / Healthcare / Commercial

# **Fire-stopping Protection**

# 

Factory fitted fire stopping means consistency and assurance of compliance with no additional on-site labour required!



Once installed, Rida can be plastered or tape and jointed up to the integral stop-beads creating a perfectly flush profile with the wall.



Powder-coated steel door
3-way lock system (with plastic bung)
Perforated fixing flange
Concealed frame
Concealed pivot hinge

# The better alternative to timber:

### Say goodbye to warping timber doors!

Changes in climate within the environment can cause timber doors to twist and warp. Rida removes this risk of non-compliance due to its steel construction which is not affected by differing climate conditions.

#### **Compliant with the latest legislation**

Rida is a complete, fire-tested doorset system reducing the inherent risk of using mixed and untested components.

#### Factory assembled modular system

Providing guaranteed quality and consistency.

#### Less dependence on skilled labour

As a pre-assembled doorset, installation is faster, easier, and more accurate than traditional timber doors reducing the risk of snags from poor workmanship.

#### **Easy maintenance and redecoration**

Requiring little to no maintenance, Rida removes the headaches of remedial works associated with timber doors. The 'dead-matt' finish is designed to be painted with wall emulsion, no masking or special paints required.\* \*Maximum permitted thicknesses apply - See datasheet for more information

# Standard sizes

LEAF SIZE (mm)	S/O (mm)	HANDING	ORDER NO.
SINGLE			
1900×500	1920×520	LSH	SEL-PRT-14000-1
1900×750	1920×770	LSH	SEL-PRT-14000-2
1900×500	1920×520	RSH	SEL-PRT-14000-3
1900×750	1920×770	RSH	SEL-PRT-14000-4
DOUBLE			
1900×500/500	1920×1024	RSH-Active	SEL-PRT-14001-1
1900×750/750	1920×1524	RSH-Active	SEL-PRT-14001-2
1900×500/500	1920×1024	LSH-Active	SEL-PRT-14001-3
1900×750/750	1920×1524	LSH-Active	SEL-PRT-14001-4

## **Standard specifications**

FINISH	White Ral 9010 Dead Matt	
FIRE RATING	E30 (19mm Quench pre-applied)	
LOCK CYLINDER	No Euro-cylinder provided	
LOCK / HEIGHT	3-way Lock (only) / 900mm	

# Creating beautiful, contemporary interiors

call 020 3880 0339 email sales@selo.global



Scan QR to visit our website selo.global

## **EXCLUSIVE** PRODUCT INNOVATIONS:



# Concealed **Frame Doors**



Frameless doorsets for high-end residential properties to enhance contemporary interiors.

# **Nulfire**

# **Fire-compliant door sets** within wall-lining systems

Enabling Quadra+ Riser Door system to be installed in projection to rigid supporting construction. Nulfire is not compatible with Rida.

# Concealed **Smoke Damper**

# FumaCE

Concealed single blade smoke control corridor damper CE marked to BS EN12101-8:2011.

# **Temporary Fire Doors**

#### Tempus

Designed to withstand the rigours of a construction site whilst maintaining fire compliance.

# Sliding **Pocket Doors**



Utilise every square inch of your room with the No.1 Pocket Door with limitless design options.



call 020 3880 0339 email sales@selo.global www.selo.global

Selo K2 Kents Hill Business Park Timbold Drive Milton Keynes MK7 6BZ



© 2023 by Selo. All rights reserved. Selo reserves the right to alter specification and designs without prior notice.

Rev 5 - April 2025 | SEL-MRK-00060

