

SEL-FRM-00098 Rev 1

Ceiling details shown for information only, not for construction issue





Please note:
Ceiling build up to be certified by others.

FIRE RATING NFR


FIRE STOPPING N/A

ACOUSTIC RATING N/A


Results declared reflect the optimum achievable within the limitations of the test standard and sites specific average results may vary where building elements of different materials interface altering natural acoustic deflection.




Detail A



Detail B





Detail C



Detail D

ACCESS PANEL SUITABLE FOR DOORS 200-800mm WIDE AND 300-1500mm HIGH. STUD WORK AND PLASTERBOARD SHOWN FOR REFERENCE ONLY.




FOR FURTHER TECHNICAL DETAIL AND INFORMATION PLEASE CONTACT THE SALES TEAM AT sales@selo-uk.com

				Remove all burrs and sharp edges.			PROJECT:	VIA ACCESS PANELS		TOLERANCES IN mm UNLESS OTHERWISE NOTED X ± 1 X.X ± 0.5 ANGULAR ± 0.5 DEG	
				Please report errors and omissions			INT DWG NO:	SEL-DRW-PRD-VIA-0105			
				FACE:	Metal		EXT DWG NO:	SEL-DRW-PRD-VIA-2503			
					NAME	DATE	PANEL TYPE:	2 C			
B	Dimensions Updated	CK	16/01/25	DRAWN:	CK	28/07/23	DESCRIPTION:	VIA Metal NFR Single Door for Ceilings - Concealed, 3 Way Lock		DO NOT SCALE PRINT	
A	Initial issue	CK	28/07/23	CHECKED:						MILLIMETERS	REV. B
REV:	COMMENT:	REVISED BY:	DATE:	APPROVED:				SCALE: 1:10 / 4 @ A3 SHEET: 1 OF 6			

SEL-FRM-00098 Rev 1

Ceiling details shown for information only, not for construction issue

Please note:
Ceiling build up to be certified by others.







FIRE RATING NFR

FIRE STOPPING N/A




ACOUSTIC RATING N/A

Results declared reflect the optimum achievable within the limitations of the test standard and sites specific average results may vary where building elements of different materials interface altering natural acoustic deflection.



ACCESS PANEL SUITABLE FOR DOORS 200-800mm WIDE AND 300-1500mm HIGH. STUD WORK AND PLASTERBOARD SHOWN FOR REFERENCE ONLY.




FOR FURTHER TECHNICAL DETAIL AND INFORMATION PLEASE CONTACT THE SALES TEAM AT sales@selo-uk.com

				Remove all burrs and sharp edges.			PROJECT:	VIA ACCESS PANELS		TOLERANCES IN mm UNLESS OTHERWISE NOTED X ± 1 X.X ± 0.5 ANGULAR ± 0.5 DEG
				Please report errors and omissions			INT DWG NO:	SEL-DRW-PRD-VIA-0106		
				FACE:	Metal		EXT DWG NO:	SEL-DRW-PRD-VIA-2503		
					NAME	DATE	PANEL TYPE:	2 C		
B	Dimensions Updated	CK	16/01/25	DRAWN:	CK	28/07/23	DESCRIPTION:	VIA Metal NFR Single Door for Ceilings - Visible, 3 Way Lock		DO NOT SCALE PRINT
A	Initial issue	CK	28/07/23	CHECKED:						MILLIMETERS
REV:	COMMENT:	REVISED BY:	DATE:	APPROVED:				SCALE: 1:10 / 4 @ A3 SHEET: 2 OF 6		 

SEL-FRM-00098 Rev 1

Ceiling details shown for information only, not for construction issue

Please note:
Ceiling build up to be certified by others.




FIRE RATING NFR


FIRE STOPPING N/A

ACOUSTIC RATING N/A


Results declared reflect the optimum achievable within the limitations of the test standard and sites specific average results may vary where building elements of different materials interface altering natural acoustic deflection.




Detail A



Detail B






Detail C



Detail D

ACCESS PANEL SUITABLE FOR DOORS 200-800mm WIDE AND 380-1500mm HIGH. STUD WORK AND PLASTERBOARD SHOWN FOR REFERENCE ONLY.

FOR FURTHER TECHNICAL DETAIL AND INFORMATION PLEASE CONTACT THE SALES TEAM AT sales@selo-uk.com








				Remove all burrs and sharp edges.			PROJECT:	VIA ACCESS PANELS			TOLERANCES IN mm UNLESS OTHERWISE NOTED X ± 1 X.X ± 0.5 ANGULAR ±0.5 DEG	
				Please report errors and omissions			INT DWG NO:	SEL-DRW-PRD-VIA-0107				
				FACE:	Metal		EXT DWG NO:	SEL-DRW-PRD-VIA-2503				
					NAME	DATE	PANEL TYPE:	2 C				
B	Dimensions Updated		CK	16/01/25	DRAWN:	CK	28/07/23	DESCRIPTION:	VIA Metal NFR Single Door for Ceilings - Concealed, 3 Way Lock + Euro Cylinder RH			DO NOT SCALE PRINT
A	Initial issue		CK	28/07/23	CHECKED:							MILLIMETERS
REV:	COMMENT:		REVISED BY:	DATE:	APPROVED:				SCALE: 1:10 / 4 @ A3 SHEET: 3 OF 6			 

SEL-FRM-00098 Rev 1

FIRE RATING	NFR
FIRE STOPPING	N/A
ACOUSTIC RATING	N/A
Results declared reflect the optimum achievable within the limitations of the test standard and sites specific average results may vary where building elements of different materials interface altering natural acoustic deflection.	


Ceiling details shown for information only, not for construction issue

Please note:
Ceiling build up to be certified by others.



ACCESS PANEL SUITABLE FOR DOORS 200-800mm WIDE AND 380-1500mm HIGH. STUD WORK AND PLASTERBOARD SHOWN FOR REFERENCE ONLY.

FOR FURTHER TECHNICAL DETAIL AND INFORMATION PLEASE CONTACT THE SALES TEAM AT sales@selo-uk.com








				Remove all burrs and sharp edges.			PROJECT:	VIA ACCESS PANELS		TOLERANCES IN mm UNLESS OTHERWISE NOTED X ±1 X.X ±0.5 ANGULAR ±0.5 DEG	
				Please report errors and omissions			INT DWG NO:	SEL-DRW-PRD-VIA-0108			
				FACE:	Metal		EXT DWG NO:	SEL-DRW-PRD-VIA-2503			
					NAME	DATE	PANEL TYPE:	2 C			
B	Dimensions Updated	CK	16/01/25	DRAWN:	CK	28/07/23	DESCRIPTION:	VIA Metal NFR Single Door for Ceilings - Concealed, 3 Way Lock + Euro Cylinder LH		DO NOT SCALE PRINT	
A	Initial issue	CK	28/07/23	CHECKED:			selo			MILLIMETERS	REV. B
REV:	COMMENT:	REVISED BY:	DATE:	APPROVED:				SCALE:	1:10 / 4 @ A3	SHEET: 4 OF 6	

SEL-FRM-00098 Rev 1

Ceiling details shown for information only, not for construction issue




Please note:
Ceiling build up to be certified by others.

FIRE RATING	NFR
FIRE STOPPING	N/A
ACOUSTIC RATING	N/A
Results declared reflect the optimum achievable within the limitations of the test standard and sites specific average results may vary where building elements of different materials interface altering natural acoustic deflection.	



ACCESS PANEL SUITABLE FOR DOORS 200-800mm WIDE AND 380-1500mm HIGH. STUD WORK AND PLASTERBOARD SHOWN FOR REFERENCE ONLY.

FOR FURTHER TECHNICAL DETAIL AND INFORMATION PLEASE CONTACT THE SALES TEAM AT sales@selo-uk.com






				Remove all burrs and sharp edges.			PROJECT:	VIA ACCESS PANELS		TOLERANCES IN mm UNLESS OTHERWISE NOTED X ± 1 X.X ± 0.5 ANGULAR ± 0.5 DEG	
				Please report errors and omissions			INT DWG NO:	SEL-DRW-PRD-VIA-0109			
				FACE:	Metal		EXT DWG NO:	SEL-DRW-PRD-VIA-2503			
					NAME	DATE	PANEL TYPE:	2 C			
B	Dimensions Updated	CK	16/01/25	DRAWN:	CK	28/07/23	DESCRIPTION:	VIA Metal NFR Single Door for Ceilings - Visible, 3 Way Lock + Euro Cylinder RH		DO NOT SCALE PRINT	
A	Initial issue	CK	28/07/23	CHECKED:						MILLIMETERS	REV.
REV:	COMMENT:	REVISED BY:	DATE:	APPROVED:				SCALE: 1:10 / 4 @ A3	SHEET: 5 OF 6		

SEL-FRM-00098 Rev 1

FIRE RATING	NFR
FIRE STOPPING	N/A
ACOUSTIC RATING	N/A
Results declared reflect the optimum achievable within the limitations of the test standard and sites specific average results may vary where building elements of different materials interface altering natural acoustic deflection.	


Ceiling details shown for information only, not for construction issue

Please note:
Ceiling build up to be certified by others.



ACCESS PANEL SUITABLE FOR DOORS 200-800mm WIDE AND 380-1500mm HIGH.
STUD WORK AND PLASTERBOARD SHOWN FOR REFERENCE ONLY.

FOR FURTHER TECHNICAL DETAIL AND INFORMATION PLEASE
CONTACT THE SALES TEAM AT sales@selo-uk.com

				Remove all burrs and sharp edges.			PROJECT:	VIA ACCESS PANELS			TOLERANCES IN mm UNLESS OTHERWISE NOTED X ± 1 X.X ±0.5 ANGULAR ±0.5 DEG	
				Please report errors and omissions			INT DWG NO:	SEL-DRW-PRD-VIA-0110				
				FACE:	Metal			EXT DWG NO:	SEL-DRW-PRD-VIA-2503			
					NAME	DATE	PANEL TYPE:	2 C				
B	Dimensions Updated	CK	16/01/25	DRAWN:	CK	28/07/23	DESCRIPTION:	VIA Metal NFR Single Door for Ceilings - Visible, 3 Way Lock + Euro Cylinder LH			DO NOT SCALE PRINT	
A	Initial issue	CK	28/07/23	CHECKED:							MILLIMETERS	REV.
REV:	COMMENT:	REVISED BY:	DATE:	APPROVED:				SCALE:	1:10 / 4 @ A3	SHEET: 6 OF 6	